

RECEIVED: July 10, 2015

ACCEPTED: July 17, 2015

PUBLISHED: August 17, 2015

Erratum: $\gamma^*\gamma^*$ cross section at NLO and properties of the BFKL evolution at higher orders

Giovanni A. Chirilli and Yuri V. Kovchegov

*Department of Physics, The Ohio State University,
191 W Woodruff Ave, Columbus, OH 43210, U.S.A.*

E-mail: chirilli.1@asc.ohio-state.edu, kovchegov.1@asc.ohio-state.edu

ERRATUM TO: [JHEP05\(2014\)099](#)

ABSTRACT: This is the erratum to [1]. Equation and figure numbers below refer to those in the original paper unless explicitly specified otherwise.

ARXIV EPRINT: [1403.3384](#)

1 Corrections to equations

- Right-hand side of equation (3.7) has to be multiplied by an overall factor of $\frac{1}{(2\pi)^2}$.
- In equation (3.10), the factor of $\frac{1}{128}$ has to be replaced by $\frac{1}{64}$.
- Right-hand side of equation (3.12) has to be multiplied by an overall factor of $\frac{1}{(2\pi)^4}$.
- Right-hand side of equation (3.15) has to be multiplied by an overall factor of $\frac{1}{(2\pi)^4}$.
- Right-hand side of equation (3.16) has to be multiplied by an overall factor of $\frac{1}{(2\pi)^4}$.
- In equation (3.17), the factor of $\frac{1}{128}$ has to be replaced by $\frac{1}{64}$.
- In equation (3.21), the overall factor of 2 has to be replaced by $\frac{1}{8}$ and the overall factor of π^4 has to be removed.
- In equation (3.23), the overall factor of $32s\pi^6$ has to be replaced by $2s\pi^2$.
- In equation (3.24), Re has to be replaced by Im.
- In equation (3.25), the overall factor of $32\pi^6$ has to be replaced by $2\pi^2 \left(\sum_f e_f^2 \right)^2$.
- Right-hand side of equation (3.26) has to be multiplied by an overall factor of $\frac{1}{(2\pi)^4}$.
- Right-hand side of equation (3.31) has to be multiplied by an overall factor of $\frac{1}{(2\pi)^2}$.
- In equation (3.38), the overall factor of $2\pi^2$ has to be replaced by $\frac{1}{2}$.
- In equation (3.39), the overall factor of $32\pi^6$ has to be replaced by $2\pi^2$.
- In equation (3.40), the overall factor of $32\pi^6$ has to be replaced by $2\pi^2 \left(\sum_f e_f^2 \right)^2$.
- In equation (3.41), the overall factor of $32\pi^6$ has to be replaced by $2\pi^2 \left(\sum_f e_f^2 \right)^2$.
- Right-hand side of equation (B.11) has to be multiplied by an overall factor of $\frac{1}{(2\pi)^2}$.
- Right-hand side of equation (B.12) has to be multiplied by an overall factor of $\frac{1}{(2\pi)^4}$.
- In equation (B.13), the overall factor of $32s\pi^6$ has to be replaced by $2s\pi^2$.
- In equation (B.14), the overall factor of $32s\pi^6$ has to be replaced by $2s\pi^2$.
- In equation (B.15), the overall factor of $32s\pi^6$ has to be replaced by $2s\pi^2$.

2 Figures

- Figure 3 in the original text has to be replaced by figure 1 from this erratum.
- Figure 4 in the original text has to be replaced by figure 2 from this erratum.




Figure 1. NLO $\gamma^*\gamma^*$ cross section with $Q_1 = Q_2 = 1$ GeV plotted as a function of rapidity Y . Virtual photons have transverse polarizations in the left panel and longitudinal polarizations in the right panel.




Figure 2. NLO $\gamma^*\gamma^*$ cross section with $Q_1 = Q_2 = 5$ GeV (dashed line) and $Q_1 = Q_2 = 10$ GeV (solid line) plotted as functions of rapidity Y . Again the virtual photons have transverse polarizations in the left panel and longitudinal polarizations in the right panel.

3 Correction to text

- The first three lines right after equation (3.3) have to be replaced by:

In the following calculation we omit the factor $\left(\sum_f e_f^2\right)^2$ (where e_f labels the electromagnetic charge of the quark with flavor f), which we will reinstate in the expressions for the cross sections.

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY 4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] G.A. Chirilli and Y.V. Kovchegov, $\gamma^*\gamma^*$ Cross Section at NLO and Properties of the BFKL Evolution at Higher Orders, *JHEP* **05** (2014) 099 [[arXiv:1403.3384](https://arxiv.org/abs/1403.3384)] [[INSPIRE](https://inspirehep.net/literature/1200000)].